

Trend Machinery & Cutting Tools Ltd.	
PAGE 1 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Name: Fill & Seal Worktop Joint Sealant and Adhesive

Product Ref: FS/100/BA to FS/100/TE & FS/100/PACK

Application: Worktop joint sealant.

Suppliers Trade Name: Colour Match Worktop Sealant and Adhesive Kit

Supplier: Everbuild Building Products Limited
 Site 41 Knowlethorpe Way
 Cross Green Industrial Estate
 Leeds
 West Yorkshire
 England
 LS9 0SW

Tel: 0044 (0) 113 240 2424
 Fax: 0044 (0) 113 240 0024

Emergency Telephone: 0044 (0) 113 240 2424

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS No.	EINECS No.	Wt (%)	Health (Class)	Risk Phrase (R. No.)
BIPHENYL-2-OL	90-43-7	201-993-5	<1%	Xi N	R36/37/38 R50

Contains: Contains a gelled acrylic polymer, coalescent and biocide with various pigments.

Trend Machinery & Cutting Tools Ltd.	
PAGE 2 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

3. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

4.1 FIRST-AID MEASURES (SYMPTOMS)

Eye contact: There may be irritation and redness.

Skin contact: There may be mild irritation at the site of contact.

Inhalation: No symptoms.

Ingestion: There may be irritation of the throat.

4.2 FIRST-AID MEASURES (ACTIONS)

Eye contact: Bathe the eye with running water for 15 minutes.

Skin contact: Wash immediately with plenty of soap and water.

Ingestion: Wash out mouth with water.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Trend Machinery & Cutting Tools Ltd.	
PAGE 3 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

Clean-up procedures: Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area.

Storage conditions: Store in cool, well-ventilated area. Store in original containers between +5°C and +25°C. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Paste.

Colour: Various.

Odour: Barely perceptible odour.

Evaporation rate: Slow.

Oxidising: Non-oxidising (by EC criteria).

Solubility in water: Miscible.

Viscosity: Viscous.

Trend Machinery & Cutting Tools Ltd.

PAGE 4 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

Viscosity value: 80-120.

Viscosity test method: x 1000 cps – Brookfield HBDV2+, spindle S70, 10rpm @20°C.

Flammability limits %;
lower: Not applicable.
upper: Not applicable.

Auto flammability °C: No data.

Vapour pressure: As water.

Relative density: 1.65.

pH: 8.8-9.9.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Hazardous decomposition products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: BIPHENYL-2-OL.
ORL MUS LD50 1050 mg/kg.
ORL RAT LD50 2700 mg/kg.

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

Trend Machinery & Cutting Tools Ltd.	
PAGE 5 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

12. ECOLOGICAL INFORMATION

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Other adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Dispose of according to local or national legislation.

Note: The user's attention is drawn to the possibility of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

Road

ADR UN No: -

Shipping name: "NOT SUBJECT TO ADR".

Rail

RID UN No: -

Sea

IMDG/IMO UN No: -

Air

IATA/ICAO: -

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product

Trend Machinery & Cutting Tools Ltd.	
PAGE 6 of 6	SAFETY DATA SHEET
REVISION: 2	FILL & SEAL
	COPIED: NJM
	ISSUE DATE: 16th AUG 2004

described in the safety data sheet. The user's attention is drawn to possible existence of additional provisions, which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in sections 2:

R36/37/38: Irritating to eyes, respiratory system and skin.
R50: Very toxic to aquatic organisms.

Legal disclaimer:

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

User notes:

Sections revised: - 1 to 16.

Information sources:

Supplier's own safety data sheet, issued 11/04/2003, revision No. 1.

Revisions comments:

Change in regulations.

Trend SDS ref:

LEAF/HS/FS